

## Discharge Monitoring Report - STA 3-4 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0300195

Discharge Point Number: D001

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-1 outflow G376B	Calc	Daily		144	394	cfs
Dissolved Oxygen	00300 1 EFF-1 outflow G376B	In Situ	Weekly	0.72			mg/l
Dissolved Oxygen	00300 5 SWU-1 inflow G370	In Situ	Weekly	3.45			mg/l
pH	00400 1 EFF-1 outflow G376B	In Situ	Weekly	7.35		7.79	SU field
Total Phosphorus	00665 Y EFF-1 outflow G376B	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.016		mg/l as P
Total Phosphorus	00665 P SWU-1 inflow G370	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.124		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0300195

Discharge Point Number: D002

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-2 outflow G376E	Calc	Daily		132	375	cfs
Dissolved Oxygen	00300 1 EFF-2 outflow G376E	In Situ	Weekly	1.15			mg/l
Dissolved Oxygen	00300 5 SWU-2 inflow G370	In Situ	Weekly	3.45			mg/l
pH	00400 1 EFF-2 outflow G376E	In Situ	Weekly	7.36		7.88	SU field
Total Phosphorus	00665 P EFF-2 outflow G376E	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.020		mg/l as P
Total Phosphorus	00665 Y SWU-2 inflow G370	Grab / Flow - Proportional Composite	Weekly		Flow - w t Mean 0.124		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0300195

Discharge Point Number: D003

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-3 outflow G379B	Calc	Daily		82	438	cfs
Dissolved Oxygen	00300 1 EFF-3 outflow G379B	In Situ	Weekly	2.10			mg/l
Dissolved Oxygen	00300 5 SWU-3 inflow G372	In Situ	Weekly	2.03			mg/l
pH	00400 1 EFF-3 outflow G379B	In Situ	Weekly	7.45		7.85	SU field
Total Phosphorus	00665 Y EFF-3 outflow G379B	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.018		mg/l as P
Total Phosphorus	00665 P SWU-3 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.108		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0300195

Discharge Point Number: D004

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-4 outflow G379D	Calc	Daily		78	465	cfs
Dissolved Oxygen	00300 1 EFF-4 outflow G379D	In Situ	Weekly	2.94			mg/l
Dissolved Oxygen	00300 5 SWU-4 inflow G372	In Situ	Weekly	2.03			mg/l
pH	00400 1 EFF-4 outflow G379D	In Situ	Weekly	7.46		7.85	SU field
Total Phosphorus	00665 Y EFF-4 outflow G379D	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.021		mg/l as P
Total Phosphorus	00665 P SWU-4 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.108		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0300195

Discharge Point Number: D005

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-5 outflow G381B	Calc	Daily		64	132	cfs
Dissolved Oxygen	00300 1 EFF-5 outflow G381B	In Situ	Weekly	1.63			mg/l
Dissolved Oxygen	00300 5 SWU-5 inflow G372	In Situ	Weekly	2.03			mg/l
pH	00400 1 EFF-5 outflow G381B	In Situ	Weekly	7.47		7.74	SU field
Total Phosphorus	00665 Y EFF-5 outflow G381B	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.014		mg/l as P
Total Phosphorus	00665 P SWU-5 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.108		mg/l as P

## Discharge Monitoring Report - STA 3-4 - Submittal Date: October 2005

Monitoring Period: July 01, 2005 - July 31, 2005

Permit # FL0300195

Discharge Point Number: D006

[ ] <Check if no discharge for reporting period

<small>NAME/TITLE/PRINCIPAL EXECUTIVE OFFICER</small> Linda J. Lindstorm, P.G., Director, Environmental Resource Assessment Department	<small>I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS</small>	<small>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</small>	<small>TELEPHONE NO.</small>  561-682-6820	<small>DATE</small>  10/6/2005
--	---	---	--	--------------------------------------

Parameter	Storet No. & Monitoring Location Code	Sample Type	Sample Frequency	CONCENTRATIONS			
				MIN (Monthly)	Annual Average	MAX (Monthly)	Units
Flow	50050 1 EFF-6 outflow G381E	Calc	Daily		64	122	cfs
Dissolved Oxygen	00300 1 EFF-6 outflow G381E	In Situ	Weekly	2.29			mg/l
Dissolved Oxygen	00300 5 SWU-6 inflow G372	In Situ	Weekly	2.03			mg/l
pH	00400 1 EFF-6 outflow G381E	In Situ	Weekly	7.38		7.80	SU field
Total Phosphorus	00665 Y EFF-6 outflow G381E	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.012		mg/l as P
Total Phosphorus	00665 P SWU-6 inflow G372	Grab/Flow - Proportional Composite	Weekly		Flow - w t Mean 0.108		mg/l as P